DAHUA | PICOO P3D

กล้องวงจรปิด Wi-Fi 2 เลนส์

ภาพคมชัด • ตรวจจับอัจฉริยะ • ดูแลพื้นที่รอบด้าน

จุดเด่นที่ควรรู้

3MP + 3MP
กล้องสองเลนส์ ให้ภาพสองมุมมองในเครื่องเดียว

AI Detection
แยกตรวจจับบุคคลและยานพาหนะ
ลดการแจ้งเตือนที่ไม่จำเป็น

Auto Tracking
เลนส์ PT
หมุนติดตามเป้าหมายที่ตรวจพบอัตโนมัติ

Smart Dual Light
เลือกอินฟราเรด ไฟแสงอุ่น
หรือโหมดส่องสว่างอัจฉริยะ

Wi-Fi 6 / IP66
เชื่อมต่อไร้สาย 2.4 GHz
และทนฝุ่นฝนตามมาตรฐาน IP66

DMSS / H.265
ดูสด ดูย้อนหลัง รับแจ้งเตือน สนทนา 2 ทาง
และบีบอัดวิดีโอ

เลือกมุมมองให้เหมาะกับพื้นที่

เลนส์ 2.8mm + 6mm
เลนส์คงที่เก็บภาพมุมกว้าง ส่วนเลนส์ PT 6mm เน้นดูรายละเอียดในจุดที่ต้องการ

เลนส์ 2.8mm + 2.8mm / 3.6mm + 3.6mm
สองมุมมองในเครื่องเดียว เหมาะกับการเฝ้าระวังพื้นที่กลางแจ้งหลายทิศทาง

ฟังก์ชันเฉพาะรุ่น 2.8mm + 6mm
Linkage Tracking: เลนส์คงที่ตรวจพบบุคคล แล้วเลนส์ PT หมุนติดตามเส้นทางการเคลื่อนไหว

Tap and View: แตะตำแหน่งบนภาพมุมกว้างในแอป เพื่อสั่งให้เลนส์ PT หันไปดูบริเวณนั้น

alhua TECHNOLOGY | WITHS

Picoo P3D

All-weather, All-around Protection

- Dual Channel Smart Detection
- Sound & Light Alarm
- AI Detection
- Auto Tracking
- Tap and View (2.8mm+6mm only)
- Linkage Tracking (2.8mm+6mm only)



Overview



3MP+3MP
High Definition

Withstands Harsh Environments

IP66



Dual Channel Smart Detection

- AI Human Detection
- Vehicle Detection
- Abnormal Sound Alarm

Smart Dual Light

Preset Patrol

See in 360 °with adjustable lenses



DMSS App

2.4GHz
Wi-Fi6

Linkage Tracking

(2.8mm+6mm only)

Tap and View


(2.8mm+6mm only)

H.265

Multiple Application Scenarios


Outdoor Overview & Detail: 2.8mm+6mm

When you need both an overview and sharp details outdoors, choose the 2.8mm+6mm lens. The 2.8mm lens offers wide coverage for large areas like gardens, parking lots, or open fields, eliminating blind spots. Meanwhile, the 6mm PT lens captures precise details, perfect for monitoring specific areas like swimming pools, entrances, or garden corners, ensuring no crucial moment is missed.



Outdoor Two Cameras in One
2.8mm+2.8mm/3.6+3.6mm

The same focal lens outdoor PT camera is ideal for parking lots, gardens, and other outdoor spaces, offering two views from a single device to eliminate blind spots. View 1 and View 2 ensure clear coverage in both directions, perfect for monitoring open spaces, street entrances, or parking areas. The auto-tracking feature captures motion and activity, ensuring no important area is missed.




With Smarts

Tap and view (2.8mm+6mm only)

Tap anywhere on the wide-angle view in the app, and the PT lens will instantly rotate to your selected spot, allowing you to explore details effortlessly with just a touch.

2.8mm
Fix Lens View

6mm
PT Lens View



Picoo P3D

Linkage tracking (2.8mm+6mm only)

Both lenses support human detection. Once auto-tracking is enabled, the PT lens will automatically follow and record the entire event by tracing the target's movement path whenever the fixed camera identifies a human figure. This dual-lens collaboration delivers unparalleled comprehensive monitoring.







Smarter Alerts, Less Hassle

Picoo P3D

Our AI algorithm detects human and vehicle with precision, ignoring everyday distractions. You get timely alerts that matter, giving you smarter security and peace of mind.



Dual-Light Modes

Switch easily between infrared and full-color night vision for clearer views, day or night.



IR Mode



Warm Light Mode



Smart Illumination Mode

With Simplicity

Bluetooth Pairing

Pair your camera in seconds
—no complex steps required.



Wi-Fi 6

Stronger, more reliable connection
that adapts to your network.



2.4Ghz

Wi Fi

H.265


Required storage space

H.264

H.265

Reduced by

50%



With Security

Sound and Light Alarm



Diversified Storage

SD Card



Memory cards were developed for Dahua cameras to record every moment you care about.




NVR

Enables users go extend recording time or control multiple cameras at the time.



Communication Anytime, Anywhere





See All Around with Adjustable Lenses

The electric head of the PT lens can be controlled through the DMSS app, allowing it to pan and tilt, thus ensuring that all corners are fully monitored, while the fixed lens can be manually adjusted up and down by 15°.

